

FOCUS . VALUE . INNOVATION . EXPERIENCE

*Leisure
Spas*

Quality custom built spa's like no other!

Platinum 27



Specifications

- 1500 x 2000 x 790mm
- Seats Two or Three Comfortably
- 240 V: Requires 13 AMP
- Dry Weight: 280Kg
- Filled Weight: 1200Kg Approx
- (1) 2.5 HP Pump
- 250 Gallons, 1136 Lts
- 27 Jets Air & Water
- 3KW Heater
- Stainless Steel Jets
- Durable Slip-Resistant Acrylic Surface
- Quiet Performance
- Ozonator
- Circulation Pump
- Colour LED Light
- Air Blower
- Calf Jets
- Balboa Digital Electronic Controls
- Deluxe Cover
- CFC-Free Foam Insulation
- Completely Portable
- Cabinet Available In Slate
- Comfort Cushion Headrests
- No Maintenance Cabinet
- Therapeutic Water Jets
- Aromatherapy System
- Venturi Type Air Injection

RRP £4250.00

Miami 31



Specifications

- 2000 x 2000 x 840mm
- Seats 5 Comfortably
- 240 V, 13 AMP
- Dry Weight 260Kg
- Filled Weight 1500Kg
- (1) 2.5 HP Pump
- 280 Gallons, 1280 Lts Approx
- 31 Jets Air & Water
- 3KW Heater
- Completely Portable
- Ozonator
- Low Energy Consumption
- Colour LED Light
- Heated Air Blower
- Deluxe Cover
- Calf Jets
- Balboa Digital Electronic Controls
- Stainless Steel Jets
- Comfort Cushion Headrests
- Therapeutic Water Jets
- CFC-Free Foam Insulation
- Cabinets Available In Slate
- Durable Slip Resistant Aristech Acrylic Surface
- Aromatherapy System
- Venturi Type Air Injection

RRP £4595.00

Hawaii 53



Specifications

- 2230 x 2130 x 900mm
- Seats 6 Comfortably
- 240V: Requires 32 AMP
- Dry Weight: 330Kg
- Filled Weight: 2100Kg
- (2) 2.5 HP Pumps
- 450 Gallons, 2045 Lts Approx
- 53 Jets
- Completely Portable
- 3KW Heater
- Ozonator
- Colour LED Light
- Deluxe Cover
- Circulation Pump
- Balboa Digital Electronic Controls
- Neck & Shoulder Jets
- Comfort Cushion Headrests
- Calf Jets
- CFC-Free Foam Insulation
- Stainless Steel Jets
- Cabinets Available In Slate
- Therapeutic Water Jets
- No Maintenance Cabinet
- Durable Slip Resistant Aristech Acrylic Surface
- Venturi Type Air Injection

RRP £5595.00

Dundee 60



Specifications

- 2121 x 2121 x 927mm
- Seats 6 Comfortably
- 240 V: Requires 32 AMP
- Dry Weight: 293Kg
- Filled Weight: 1418Kg
- (2) 3.0 HP Pumps
- 450 Gallons, 2045 Lts Approx
- 60 Jets Air & Water jet
- High Density Foam Insulation
- Therapeutic Water Jets
- Venturi Type Air Injection
- Stainless Steel Jets
- Ozonator
- Colour LED Light
- Quiet Performance
- Deluxe Cover
- Arctic Insulation Package
- Low Energy Consumption
- Balboa Digital Electronic Controls
- Watershow Fountains
- Base Mounted Treated Runners
- Comfort Cushion Headrests
- Completely Portable
- Neck & Shoulder Jets
- Calf & Foot Jets
- Vanishing Edge Waterfall
- Quality Heat-Retaining Cabinetry
- Durable Slip-Resistant Acrylic Surfaces
- Cabinets Available In: Slate or Teak
- Super Quiet Rubber Mount Pump Platforms

RRP £6995.00

Bahama 67



Specifications

- 2121 x 2121 x 927mm
- Seats 7 Comfortably
- 240 V: Requires 32 amp
- Dry Weight: 293Kg
- Filled Weight: 1418Kg
- (2) 3.0 HP Pumps
- 450 Gallons, 2045 Lts Approx
- 67 Jets Air & Water Jets
- Venturi Type Air Injection
- Stainless Steel Jets
- High Density Foam Insulation
- Therapeutic Water Jets
- Ozonator
- Colour LED Light
- Quiet Performance
- Deluxe Cover
- Arctic Insulation Package
- Low Energy Consumption
- Balboa Digital Electronic Controls
- Watershow Fountains
- Base Mounted Treated Runners
- Comfort Cushion Headrests
- Completely Portable
- Neck & Shoulder Jets
- Calf & Foot Jets
- Vanishing Edge Waterfall
- Quality Heat-Retaining Cabinetry
- Durable Slip-Resistant Acrylic Surfaces
- Cabinets Available In: Slate or Teak

RRP £6995.00

Optional Upgrades

- Surround LED lighting
- AM/FM/CD player
- Cover lifter
- Steps

All images are for illustration purpose only

Choose Your Location

When thinking about where to position your spa, you should consider:

The view from the house and the view from the spa itself.

Ensure quick and easy access from the house to the spa.

Directions of drainage. Water should always drain away from the spa.

Do not locate your spa in a low run off area this can cause pump and equipment damage.

If you are installing the spa within a deck, the entire spa base must be sitting directly on the prepared base. The lip of the shell must not support any weight.

The minimum clearance for entry to the spas access panel for servicing is 1 metre.

The spa should not be located near or under overhead wires and must be kept clear of all electrical appliances.

Pre-Delivery Preparation

The site you select for your spa must be flat, level continuous surface that contacts the bottom of your spa fully.

Spas weigh between 800kg and 6500kg when full, so solid support is essential. A 10-15cm thick reinforced concrete slab is ideal but not a requirement. In most cases your spa can be placed on a properly fitted existing patio. Your spa can be mounted on a deck, but it must be of solid construction. Either way, it is recommended you install your spa at ground level to allow easy internal access.

The base needs to be at least the same size as the footprint of your spa. Check individual spa measurements for details.

Have a registered electrician run the required 240 volt power supply into the spa installation site. The power supply must be permanently connected (hard-wired) to the mains supply (RCD Protected). Do not use extension cords or plug in type connections. At the site where the spa is to be located, leave 4 metres of cable and the appropriate cable gland. All electrical wiring to the spa MUST be installed by a qualified and licensed electrician and approved by local building/electrical inspectors. Please see individual spas for amps required.

Delivery And Access

The spa will arrive as a unit and cannot be dismantled. You will need to have sufficient clearance for the spa to be rolled on a trolley, either on it's side or it's base (see measurements for each spa).

Crane hire may be required. Please contact your local dealer for further information.

Relieve Stress And Pain

The massaging action of a spa will accelerate the healing process of aches and pains. Warm, swirling water reduces stress and allows you to rest, giving a better nights sleep by refreshing your body and mind ready to tackle the next day. Sufferers from arthritis with painful or inflamed joints will find that hydrotherapy will help to relax the muscles and allow a greater range of motions in the joints.

Warranty

The warranty is extended to the original purchaser. The warranty does not apply if failure is caused or contributed by any of the following:

- Improper handling
- Improper storage
- Improper chemical management
- Improper installation
- Unsuitable application
- Lack of responsible and necessary maintenance
- Repairs made or attempted by unauthorised service centres or technicians

Leisure spas will repair or replace, as its option, a unit proved to be defective within the warranty period and under the condition of the warranty. Leisure spas are not responsible for the cost of removal of the unit, damages due to removal or installation, any shipping charges to and from the factory or the installation of a repaired or replaced unit.

All spas come with hard top safety cover and locking straps, 5 year structure warranty, 2 year shell surface warranty, 1 year parts and labour warranty, 1 year warranty on ozone. Tv's and stereos carry a 3 month warranty, tv and stereo products may vary. No warranty is offered on any hard top cover or headrests after installation.

Your Local Dealer